
Invacare Ltd Pencoed Technology Park Pencoed Bridgend CF35 5AQ T: 01656 776222 F: 01656 776220 E: ordersuk@invacare.com



-fidventure



www.invacare.co.uk

Account Code:

Customer Order Number:

Company Name;

Address:



Weight of wheelchair user*

kg Weight information for setting the spring/damping components for optimum comfort; max. load 140 kg (max. overall weight 255 kg)

* Please note: heavy special accessories need to be added to the load capacity

Please completely fill in the mounting specifications together with each order 01.1.2010).

Adventure vehicle basic model



Consists of:


- Full-suspension modular chassis, adjustable suspension
- 2 drive wheels, 6 km/h, detachable via quick-release
- Fully programmable control unit with LCD display
- Battery charger, 6 A charging current
- Anti-tippers with jack-up function
- 2 battery packs, 17 Ah, (range up to 45 km)
- Lighting system complete
- Function seat with contoured upholstery
- Maximum obstacle negotiation 8 cm
- Maximum permitted incline 18 %


□ 1463809 £6755

Installation of control unit

Right (standard)Left

Seating Options





Function seat (with contoured upholstery)

With a variety of customizing options:

- A: Backrest angle 85° 105° progressively adjustable
- B: Armrest, area of extension: 200 mm
- C: Seat angle 5° 20° progressively adjustable
 D: Armrest of 160 240 mm, height adjustable (from top seat edge)
- E: Legrest height adjustable from 400 560 mm Calve length
- F: Legrest angle adjustable from 105° 120°
- G: Footrest angle adjustable 0° 15°
- Backrest detachable via quick-release
- Cushions made of breathable fabric for improved air
 - circulation and pressure distribution, detachable with Velcro fasteners
- Raised side guards on the backrest and seat for optimum stability
- Standard Seat Options Seat width: 1456968 38 - 44 cm 1463670 44 - 52 cm In combination with Power base 1457075 1456971 38 - 44 cm* 1456972 44 - 52 cm* Seat depth: 44 cm 46 cm 48 cm 50 cm Backrest height: 48.5 cm
 - 🗌 51.0 cm
 - 53.5 cm

Recaro seat (instead of function seat in combination with complete vehicle)

- Trusted Recaro quality
- Curved backrest and seat
- For ergonomically correct seating
- Seat, legrest and armrest detachable via quick-release for ease of transport
- Complete with headrest, armrest and legrest

Recaro Specialist "S"

- For small and medium-sized people with a calve length up to 440 mm
- Recaro Specialist "M"
- For small and medium-sized people with a calve length from 440 mm
- With flat side guards for ease of entry

Recaro Specialist "L"

- For small and medium-sized people with a calve length from 440 mm

		Recaro Specialist "S"	Recaro Specialist "M"	Recaro Specialist "L"
	Manual backrest adjustment	L 1463767 £1881	L 1490223* £2156	□ 1463768 £2156
Drapery Cover (Nardo/Artista black)	Electrical Backrest adjustment (periphery module necessary)	1463769 £2505	□ 1490225* £2780	□ 1463770 £2780




All information quoted is believed to be correct at time of print. Invacare® reserves the right to alter product specifications without prior consultation

Seat Accessories

	 Adaptation for special backrests (This will replace std backrest) For attaching all standard special backrests, for instance Pro-tech, Easy Back, Jay & Vicair Easy attachment to function seat Adjustable width and height Only compatible with function seat or seat frame 1464514 	 I467061 No charge instead of standard backrest Function seat I463892 £276
	 Pelvic support For stabilising the pelvis Mounting on clothes protection 	☐ 1457099 £120
	Luggage bag - Left or right attachment to the armrest	 ☐ 1457109 £90 Please select position: ☐ Right ☐ Left
	 Luggage rack For transporting luggage, equipment, shopping and more (load capacity up to 16 kg) Easy basket attachment Also compatible with backrest frame 1456316, seat frame with backrest coupling 1464514 or bracket for Recaro seat 1457115 	 1457106 £202 for Function seat 1463939 £202 for Recaro seat
Σ	Adjustable headrest - Height and depth ergonomically adjustable - Detachable via quick-release - Not compatible with Recaro seats	☐ 1457080 £280

Seat Accessories





Lateral supports

£294 | 1457100

- Lateral support of body
- Width, height and depth ergonomically adjustable
- Not in combination with Recaro seats
- Push handles
- Not compatible with Recaro seats

1457078 £106





Seat height enhancement


50 mm seat position height adjustment

- Recommended for clients taller than $1.85\ m$ _
- Not compatible with Recaro seats _

L 1456332 £156

1464838 £156 for mechan. seat angle tilt

1464777 £156 for electr. seat angle tilt



Calf support

- For supporting and stabilising your legs
- Adjustable width
- Ergonomically angle adjustable -
- Not compatible with shorter legrests -

1457079 £285

All information quoted is believed to be correct at time of print. Invacare® reserves the right to alter product specifications without prior consultation

Power base options 10 km/h version (instead of 6 km/h) 1463666 No charge - 2 battery packs necessary for operation 12 km/h version (instead of 6 km/h) | 1463665 No charge - 2 battery packs necessary for operation £349 **Battery pack (Spares)** ☐ 1457070 Detachable via quick-release (Each) □ Please specify number of Capacity 17 Ah Weight: 15 kg units Maintenance free, leak proof lead/gel battery Kerb climber ☐ 1457085 £358 - For negotiating obstacles of up to 12 cm (5") Attention: Limited adjustment options for the legrest! (length and angle) **Remote Charging Socket** 1457084 £78 Transfer of the charger socket to the armrest For easily reaching the charger socket when seated Off-board charger ☐ 1457087 £386 For charging the battery off the Adventure power base -Unlimited mobility in combination with spare battery packs Power base options Seat angle tilt mechanical | | 45705 | £413 Seat angle can be set between $5^{\circ} - 20^{\circ}$ Transfer of the body's centre of gravity Progressively adjustable seat angle _ Optimum positioning for every situation -Not compatible with Recaro seats

Power base options cont'd




Periphery module (Must be ordered if you want electrical tilt also select Seat angle electrical option below)

1457093

Standard Version

£514

- External electronic interface for electronic accessories
- Up to five connections for actuators
- Up to four sensor inputs for control device functions
- 24 V power supply
- Serial interface for special controls



Safety settings

	 Foot belt For more safety for your feet on the legrest Safeguard against slipping For affixing your feet to the footplate 	☐ I456769	£33	
O I	Rear mirror For attachment to the armrest Attachment on both sides possible 	⊠ 1457083	STD	
	Lap belt - With automatic belt lock	☐ I45633I	£69	
Options for joystick and control unit				
L.	 T-handle for joystick Ergonomically shaped As an alternative, instead of joystick knob 	□ 1457052	£97	
	 Protection bumper for control unit For protecting your hands in case of collision Robust construction to protect the joystick 	<u> </u>	£69	

Options for joystick and control unit

	 Attendant control For control by attendant with existing control unit Easy porting of control unit Position individually adjustable Not compatible with Recaro seats 	
	 External On/Off switch For switching the vehicle on and off easily. Easy plug-in attachment to control unit 	☐ 1457088 £165
	 Handrest For better hand support Easy slot-on attachment to control unit 	☐1457082 £113
	 Tray table Transparent table with control unit in middle position Foldable and removable 	 1457097 £321 Seat width 38 - 44 cm 1457105 £321 Seat width 44 - 52 cm
P	 Ball tops for Joystick For easily gripping the joystick As an alternative, instead of joystick knob Larger diameter 	 I457077 £17 Foam ball Ø 70 mm I463805 £17 Plastic ball Ø 40 mm I463806 £17 Plastic ball Ø 50 mm
	 Swivel arm for control unit Control unit pivots out parallel Allows better access to tables Left or right mountable 	 1457108 £299 Please select position: Left side Right side

Order Form Adventure A10 with Function Seat - January 2012

