

LECKEY[®]

ROGUE



LECKEY^o

RESIST
CONFORMITY.
GO ROGUE.

IT IS IN THE SOUL OF THE ROGUE,
THE WAY IT STANDS OUT, ITS
DEFIANCE OF CONVENTION, ITS
INDEPENDENCE THAT SEPARATES
IT FROM ALL OTHERS.





ROGUE. AN ULTRA RESPONSIVE RIDE.

You will not feel anything else like it. Strategically designed with oversized 1 3/8" 7000 series the Rogue has the ideal combination of vibration dampening and rigidity. It is the most responsive rigid frame ride on the market today. Minimalist in everything but the tubing, the Rogue catches the eye.

WEIGHT REDUCED



EXTREMELY LIGHTWEIGHT

Incredibly light at 10.6 lb (transport weight), Rogue conserves your energy and the integrated locking back mechanism makes transportation easier than it has ever been before.

RP TUNING

It is the only indexed caster adjustment system that gives a perfect alignment for everyone at any seat angle. The modified rack and pinion gear is infinitely adjustable over any range and can be adjusted while the chair is occupied. There are no small components to take apart and put back together. It is as simple as tightening and loosening a screw. It is called RP Tuning. And only Rogue has it.



SPINERGY RELEASE CABLE

Only on the Rogue do you have the ability to customize your chair with one of 8 different colour options available, at no charge. Each cable is made with patented Spinerger technology. 30,000 fibre strands inside each cable ensure it will not become loose or stretch over time.



TRANSIT

Finally a clean, aesthetic transit tie-down for a rigid frame. Integrated into the frame, the simple, curved front mounts provide safe attachment points while maintaining the sharp look you want from a chair in this class. You don't have to settle for heavy bolt-on brackets anymore.



WHEELCHAIRS ARE ABOUT WHEELS

Rogue offers Ki Mobility's full line of specially designed Ki spoke wheels with precision machined hubs and hard anodized handrims. Utilizing straight pull spokes this wheel promotes a stiffer and stronger wheel while the hard anodized handrim is resistant to scratching so they keep that "NEW" look longer. We also offer the full array of industry standard wheels and casters such as Spinergy, Natural Fit, Frog Legs and Topolino.



MAGS CAN BE HIGH PERFORMANCE TOO

Ki Mobility proudly offers the ultra-sleek and lightweight X-Core™ mags. These wheels have far greater stiffness and rigidity than conventional mags while keeping the weight to only 1 lb. more than spokes. Now available in 20", 22" and 24".



TOWER & SIDE FRAME ADJUSTMENT SYSTEM

Sleek and simple design lends itself to look like a full on custom rigid chair. The adjustment is hidden in the clamping tower system. The towers have a minimalist oval profile so they are not only lightweight and highly durable, constructed out of 6061 aluminium, but they are discreet and customized to order to achieve the perfect height. The clamping system has adjustment hidden on the inside of the frame so you don't see it until you need it.



ROGUE OPTIONAL EXTRAS

FRAME OPTIONS



Taper



XP Frame




Rogue Tower




Adjustable Height Back

BACKREST OPTIONS



Adjustable Height Rigidizer Bar



Stroller Handle



Spinergy Release Cable



Straight w/ Push Handle

BACKREST OPTIONS



Bolt-On Push Handle



Tension Adjustable Back



T-Arm



Swing Away

UPHOLSTERY

ARMRESTS

FOOTPLATES



Angle Adjustable Flip Back



Angle Adjustable Rigid



Tubular



Riser

FOOTPLATES



Tubular Footplate w/ ABS Cover

WHEELS



Mag



Spinergy LX



Spinergy Spox

WHEELS



Spoke



Superlight Spoke



Topolino

TIRES



Full Poly

TIRES



High Pressure



Iron Cap



Knobby



Low Poly

TIRES



Marathon



Mountain



Pneumatic with Airless Insert



Speedrun

TIRES



Shox



Pneumatic

HANDRIMS



Hard Anodized



Natural Fit Super Grip

HANDRIMS



Poly-Coated



Projection



Superlight Aluminium



Flex Rim

HANDRIMS



Aluminium Anodized



Natural Fit LT




Natural Fit LT Super Grip

WHEEL LOCKS



Short Thro Scissor Locks


WHEEL LOCKS



Under seat Scissor Lock



Flush Mount



Pull or Push w/ Extensions



Pull or Push to Lock

WHEEL LOCKS



Grade Aids

CASTERS



Lighted Microcaster



1" Poly Aluminium



Soft Roll Aluminium

CASTERS



Microcaster



Poly

FORKS




Frogs Legs



Unitine

FORKS



Rogue Slotted Fork

ANTI-TIPPERS



Rigid Anti Tips

ACCESSORIES



Bodypoint Aeromesh Calf Strap



Aluminium Seat Pan

ACCESSORIES



Backpack



Impact Guards



Micro Grip



Padded Velcro Calf strap

ACCESSORIES



Removable Side Guards



Spoke Guards



Under Seat Bag



Rigid Frame Crutch Holder

ACCESSORIES



Velcro Adjustable Calf Strap

DEDICATED SERVICES

Leckey are committed to providing prompt and efficient service that fits with your needs. Whatever the situation Leckey's dedicated and experienced staff will be there to help.

SUPPLY OF CRITICAL COMPONENTS WITHIN **48** HOURS

TRAINING PROVIDED
TAILORED TO YOUR SPECIFIC NEEDS

2 YEAR WARRANTY PLUS ANNUAL SERVICING

£ **VALUE**

Service

We will work with your NHS Approved Supplier to supply critical components to you **within 48hrs** enabling you to keep your stock holding to a minimum.

We will provide a **2 year warranty** with all mobility seating to include annual servicing.

Leckey Mobility will **provide training** tailored to your specific needs and will be available to demonstrate new products as and when required.

As a **valued partner** Leckey Mobility will support you in delivering high service levels to your clients.

Ordering

Orders can be placed via your local Leckey representative or directly with us by emailing: WCS.orders@leckey.com

For dedicated customer service and technical support contact mobility@leckey.com or phone 0800 318 265

For service policies on all products outside warranty, please contact Leckey's Customer Service department. James Leckey Design Ltd as manufacturer with sole responsibility declares that all products conform to 93/42/EEC guidelines and EN12182 technical aids for disabled persons general requirements and all parts of ISO-7176 test methods. Order forms and spare parts lists to extend the service life of the product and allow reissue are available on request or online at www.leckey.com.

Because we realise that users rely on our products in daily life we have built an after sales service that can be relied upon to deliver fast and effective support.



LECKEY[®]

Mobility

Leckey
19C Ballinderry Road
Lisburn
BT28 2SA
Northern Ireland
United Kingdom

T: 028 9260 0750
F: 028 9260 0799
E: info@leckey.com
W: www.leckey.com



SPECIFICATIONS

Transport Weight:	10.6 lbs.
Seat Width:	12" - 20"
Seat Depth:	12" - 20"
Front Seat Height:	13.5" - 23"
Rear Seat Height:	12.5" - 22"
Tubing Size:	1 3/8"
Weight Capacity:	275 lbs.
Ansi Resna WC-19 Transit:	Yes

