

US Distributor:

FRANK MOBILITY SYSTEMS, INC. 1003 International Drive Oakdale, PA 15071 Toll Free: (888) 426-8581 Fax: (724) 695-3710

www.lifestand-usa.com Fed. Tax ID# 25-1761112

e.mail: info@FrankMobility.com

Order Form / Price List LifeStand LS 3 / LSE 3



Effective 10/2/07

Dealer Information	Customer Reference Information					
Company:	Name			Age		
Address:	Gender	Height	Inches \	Weight Ibs .		
City: State:Zip:				Inches		
Phone:			☐ Hemiplegics			
Fax:) Hariaraa	□ MS	□ SEP	☐ Other		
Purchase Order Information		· · · · · · · · · · · · · · · · · · ·				
PO#:	Date		Rep's name			
Acct ID#: Contact person for questions on this or				r?		
Date:Contact:						
Extra information about LS 3 - LSE 3: Frame rigid in aluminum and steel, epoxy coated. Adjustable seat depth. Back rest reclines and folds down for transport. Height adjustable and side-lifting foot rests (according to choice). Electric or manual elevation. Maximum user weight: 265 lbs. Special Measurements!: All measurements have to be made with accuracy according to the diagram below:						
- Opecial measurements All measurement	nts nave to be	-				
		Choice (1)	Retail Price US \$	Armrest are not available on LS Model		
LS : Manual propulsion + manual standing (Armrests are not available on LS model)			\$8595.00			
LSE : Manual propulsion + electrical standing Control unit rig Control unit le	•	•	\$10,995.00			
SEAT WIDTH 8 **Box Section 1.1.**********************************						
36 cm/14" O 40 cm/16" O	44 cm/18"	O 48	cm/20" O			
THIGH LENGTH Important! The measurement has to be made from the front of the kneecap to the back rest!						
	4 3	② ①				
Back rest : cm 66 O 64 O 62 O 60 O 58 : Inches 29" 28" 27" 26" 25	3 O 56 O 5" 24"	54 O 52 O 23" 22 "	Front of the chair			
Measurement Note : If measuring with Varilite back rest, increase the depth by 2 cm						
LEG LENG Important! The measurement has to be taken from						
7 6 5 4	3	2 1				
Knee Cap cm: 44 O 46 O 48 O 50 O 18" 19" 20" 21"	52 O 22"	54 O 56 C 23" 24"	O cm Footplate			
ANGLE FOOTPLATE						
0 0 2 0	3	0		0		

Page 2 of 4 LS 3 / LSE 3 - 10/02/2007

Choice **Retail Price** US\$ (1) BACK REST HEIGHT (with handle) LS/LSE LS/LSE (14-16-18") (20") Active (12") 0 NA NCO • Standard (16") 0 NCO Comfort (21") \$349 ANGLE BACK REST (α): constant adjustment, to adjust with the user NCO \cap Standing position : α + 0° 1 Seating position : α STD Seating position : α Standing position : α + 7° 0 NCO Seating position : α Standing position : α - 6° **BACK WHEELS POSITION** ⑦ O 60 4 o 30 20 ① O Back Front GAS STRUTS STRENGTH (see chart on Page 4 "Gas Struts Choice") 400 O 500 O 600 O 450 O 250 O 350 O 550 O 650 O ARM REST ON LSE ONLY - ARMREST NOT AVAILABLE ON LS MODEL ARM REST HEIGHT Important! Measure from the cushion to top of the armrest. This measurement has to be applicable for the standing position! **Bottom** 1 2 3 4 (5) Top cm: 18 0 20 0 22 O 24 0 26 O 28 0 11" Inches: 7" 8" 9" 10" 12" ARM REST DEPTH Important! Measure from the backrest to the curve of the armrest! 1 2 3 **Long Adult Version** 23 0 25 O 27 O 29 O cm: 12" 11" Inches: 9" 10" **Short Version** 17_O 190 21 0 23 O cm: Armrest not available on LS Inches: 9" 10" REAR WHEELS (pair) 0 NCO 22" Lightweight; Black Hub & Stainless Steel Handrim • STD Armrest not available on LS 24" Lightweight; Black Hub & Aluminum Handrim П 24" Infinity; HP Tire; Black Hub with Black Aluminum Hand Rim \$599 24" Spinergy; HP Tire ONLY, Black Aluminum Hand Rim Black Wheel Rim, Silver Alum. Hub, Black Spokes П Black Wheel Rim, Black Alum. Hub, Red Spokes \$695 Black Wheel Rim, Black Alum. Hub, Blue Spokes Black Wheel Rim, Black Alum. Hub, Yellow Spokes 24" Spider; HP Tire & Aluminum Hand Rim П \$495 24" Mountainbike Tire, Black Aluminum Hand Rim ONLY \$410 \$580 24" Stoplock Hub; Black Wheel Rim, Alum. Hand Rim \$1,500 26" Wheel Kit – 1" Pneumatic Tire, 6" Front Casters, Footrest Ext. No rear wheel, plate support and quick release axle -\$110 **REAR WHEEL OPTIONS** Transparent Spoke Covers (NA on Spider & Spinergy wheels) \$235 Reflectors (NA on Spider wheels) \$32 Rubber Coated Hand Rims (NA on Spider wheels) \$309 Right **Double Hand Rims** \$1800 Left Profiled HP Tires 24" x 1" STD • Profiled Std Tires 24" x 1 3/8" 0 NCO (NC Spider wheels, П Profiled Flat Free Tires 24 x 1 3/8" \$90 Infinity & Spinergy) Smooth Flat Free Tires 24 x 1 3/8" \$90 Smooth Flat Free Tires 24 x 1" П \$90 (NA on Lightweight, Spinergy, Stoplock, & Infinity)

Page 3 of 4 LS 3 / LSE 3 - 10/02/2007

			Select Option		Retail Price US \$	
			LS	LSE		
	COLC	RS				
Volcanic Black Sandy Electric Blue Sandy Titanium Grey Sandy Metal Red Sandy		•	•	\$350 \$350 \$350		
	ACCESS	ORIES				
Support strap for LS Chest Strap Bodypoint S & M (S Chest Strap Bodypoint L (Seat \	Seat Width 14"-16") Vidth 18"-20"))	*		\$60 \$60	
Headrest – Including fixation system				\$495		
Removable Tray Table				\$469		
Anti-Tip Supports (pair)				\$275	—	
Clear Transparent Side Guards (pair)		NA		\$409		
Black Carbon Fiber Side Guards (pair)			NA	\$560		
Arm trough (unit) Please indicate if left/right or both si Chest strap compulsory.	des.	Right Left	NA NA		\$415	
Neoprene large kneepads (pair)		NA •	•	\$249		
Extended push handles (pair)					\$95	
Calf-strap			•	•	STD	
Anti-puncture front castor Flexe	(pair)				\$320	
PVC-coated handle (pair)				NA	\$270	
Long grip handle (pair)			NA	\$265		
	SEAT OP	TIONS				
Varilite Cushions.	Reflex (Size Evolution (Size Zoïd (Size Meridian (Size))			\$175 \$350 \$350 \$375	
One piece tension adjustable seat canvas (**) (**This option is in lieu of a cushion / NA in size 36cm/14")				\$155		
Viscoelastic foam cushion				\$290		
В	ACKS AND TRU	NK SUPP	ORTS			
Evolution Back rest Standard (Size) Tall (Size) Deep (Size)				\$445 \$505 \$675	1	
Varilite Trunk Support (on Varilite back rest only) (Please refer to Varilite Price List)				Refer to Varilite Price List		
Trunk Support for Standard Bac Inform us if you want left/right or	both side.	light eft air			\$775 ea	

O No Charge Option ◆ Standard
□ Surcharge Options NA: Not Available

Page 4 of 4 LS 3 / LSE 3 - 10/02/2007

		Choice (1)	Retail price US \$
	BODY POINT BELTS		
Shoulder Harness Standard	Please circle size: SM - MED - LG - XL		\$114 - \$126
Padded Hip Belt Center Pull, Medial Four-Pnt	Please circle size: SM - MED - LG		\$104 - \$118
Padded Hip Belt Center Pull, Two-Point	Please circle size: XS - SM - MED - LG		\$58 - \$106
Padded Leg Harness	Please circle size: SM - MED - LG		\$80
Ankle Huggers	Please circle size: XS - SM - MED - LG - XL		\$120 - \$130
Mounting Hardware			TBD
	VEST SUPPORT (ONE SIZE)		
Vest support for chest stability	. Velcro adjustment.		\$450
	POWER DRIVE ACCESSORIES		
E.motion – Push Rim Power Please refer to e.r. accessories	Drive notion order form for additional		\$6590 See Emotion Order Form

GAS STRUTS CHOICE Select the gas struts according to the size and the weight of the user.

Thigh length (inches) Weight (lbs.) 24.5

No Charge Option	_	Standard

□ Surcharge Options NA: Not Available

NOTE: If you fail to select an option in the column "Choice" it will be ordered as a standard configuration.

Custom Requests:

Sales Conditions: