

Q6 SERIES



LITESTREAM®




KIDS UP®



QUANTUM REHAB®

Life Beyond Limits®

SYNERGY®



TRU-BALANCE®



Q-LOGIC 2



**Q6 Edge®**

With features like standard 4-pole motors, patented Mid-Wheel 6® Drive Design and ATX Suspension, the Q6 Edge® is engineered to meet the performance needs of the most active user. The Q6 Edge accepts a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value.



**FEATURES**

- User weight capacity of 300 lbs.
- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance® Power Positioning
- Maximum speed of 6 mph with optional high-speed motor package
- Standard 8 amp, off-board charger
- Available with Accu-Trac Advanced Tracking Technology

**Quantum® 610**

The compact Quantum® 610 is the ultimate choice for users who demand the superb stability of patented Mid-Wheel 6® Design and tight-quarter maneuverability. Highly adaptable, the Quantum 610 accepts a wide range of seating and electronics options while its powerful drivetrain delivers high-performance torque.



**FEATURES**

- User weight capacity of 300 lbs.
- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance® Power Positioning
- Maximum speed of 4 mph
- Standard 5 amp, off-board charger

**Quantum® 6000Z**

The Quantum® 6000Z utilizes powerful 4-pole motors for maximum torque and patented Mid-Wheel 6® Design for aggressive outdoor performance and precision indoor maneuverability. The Quantum 6000Z accepts a broad range of exclusive seating and electronics options for unmatched adaptability and rehab capability.



**FEATURES**

- User weight capacity of 300 lbs.
- Mid-Wheel 6® allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac® with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance® Power Positioning
- Maximum speed of 8 mph with optional high-speed motor package
- Standard 8 amp, off-board charger
- Available with Accu-Trac Advanced Tracking Technology
- Also available: Q6400Z Group 4 Power Chair Series

**Quantum® Rival™**

The new Rival™ rear-wheel drive power chair features innovative design that provides exceptional outdoor performance and handling while delivering outstanding tight space maneuverability. The Rival accepts a complete range of rehab seating and electronics options.



**FEATURES**

- Compact size for outstanding maneuvering in tight spaces
- Maximum speed up to 6 mph
- High-performance, high efficiency motor package
- Accepts a wide range of seating and positioning systems
- Sliding battery tray for easy access
- Two suspension packages





### Q6 Edge<sup>®</sup> HD

With features like standard 4-pole motors, Mid-Wheel 6<sup>®</sup> Drive Design and ATX Suspension, the Q6 Edge<sup>®</sup> HD is engineered to meet the performance needs of the most active user. The Q6 Edge HD accepts a complete range of seating and electronics options to deliver exceptional rehab capability at an excellent value.

#### FEATURES

- Mid-Wheel 6<sup>®</sup> allows six wheels on the ground for maximum stability
- Compatible with TRU-Balance<sup>®</sup> Power Positioning
- Low impact OMNI-Casters (nylon, spherical-shaped casters) on front and rear prevent wheel hang-ups
- ATX Suspension (Active-Trac<sup>®</sup> with extra stability) incorporates front OMNI-Casters and semi-independent rear caster beam for enhanced performance over more varied terrain



### Quantum<sup>®</sup> 1450

The Quantum<sup>®</sup> 1450 front-wheel drive bariatric power base features innovative design that provides exceptional outdoor performance while delivering outstanding tight space maneuverability. The 1450 accepts a complete range of rehab seating and electronics options.

#### FEATURES

- 600 lbs. weight capacity
- Maximum speed up to 4.5 mph
- High-performance, high-efficiency motor package
- Accepts a wide range of seating and positioning system



### Q6 Edge<sup>®</sup>

From the classroom to the playground, the Q6 Edge<sup>®</sup> is a superb power chair for even the most active child. With features like standard 4-pole motors, Mid-Wheel 6<sup>®</sup> Drive Design and ATX Suspension, the Q6 Edge has outstanding performance indoors and out. The Q6 Edge accepts a wide range of seating and electronics options making it highly adaptable and rehab capable.



#### FEATURES

- User weight capacity of 300 lbs.
- Mid-Wheel 6<sup>®</sup> allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac<sup>®</sup> with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance<sup>®</sup> Power Positioning
- Maximum speed of 6 mph with optional high-speed motor package
- Standard 8 amp, off-board charger
- Available with Accu-Trac Advanced Tracking Technology

### Quantum<sup>®</sup> 610

The Quantum<sup>®</sup> 610's highly compact size provides easy access to kid-sized spaces, combined with the true all around performance of patented Mid-Wheel 6<sup>®</sup> Design. Glide motors and excellent rehab capability make the Quantum 610 a powerful and complete pediatric power chair option.



#### FEATURES

- Mid-Wheel 6<sup>®</sup> allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac<sup>®</sup> with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance<sup>®</sup> Power Positioning
- Maximum speed of 4 mph
- Standard 5 amp, off-board charger

### Quantum<sup>®</sup> 6000Z

The Quantum<sup>®</sup> 6000Z delivers grown-up power and performance in an easy-to-use package that's up for any challenge a kid can put it through. Limitless rehab capability, powerful 4-pole motors and the unmatched maneuverability of patented Mid-Wheel 6<sup>®</sup> Design make the Quantum 6000Z an excellent choice for the classroom, playground and beyond.



#### FEATURES

- Mid-Wheel 6<sup>®</sup> allows six wheels on the ground for stability
- Patented ATX Suspension (Active-Trac<sup>®</sup> with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain
- Compatible with TRU-Balance<sup>®</sup> Power Positioning
- Maximum speed of 8 mph with optional high-speed motor package
- Standard 8 amp, off-board charger







**TRU-Balance® Power Tilt**

- 55° of tilt
- Lower standard seat-to-floor height
- Simplified width and depth adjustments
- Maintains center of gravity shift
- Safety switches



**TRU-Balance® Power Recline**

- 95-168° of recline
- Does not increase seat-to-floor height
- Standard shear reduction and reclining armrests
- Available with TRU-Balance Power Tilt and TRU-Balance Lift & Tilt
- Available with 10 new color options



**TRU-Balance® Lift & Tilt**

- Delivers 10" of elevation with 50° of tilt
- Four-point mount lift for maximum stability, low seat-to-floor heights and the use of maximum capacity batteries
- Maximum versatility and ease of adjustment
- Available with power recline, power front riggings and TRU-Comfort Seating
- 300 lbs. weight capacity



**TRU-Balance® HD Power Tilt**

- 40 degrees of pressure-relieving tilt
- Available on the Q6000Z HD
- Weight capacity up to 450 lbs. on the Q6000Z HD
- Maximum seat size of 32" x 28" on the Q1450



**TRU-Balance® Power Articulating Foot Platform**

- Broad articulation range for enhanced adjustment
- 450 lbs. weight capacity
- Unmatched adjustment, durability and strength
- Multiple calf pad and footplate options



**TRU-Balance® Power Articulating Leg Rests**

- 70° or 80° angle
- Actuator is mounted to the outside of leg rest and will not increase the seat-to-floor height of the seating system
- Connected with a ¼" headphone-style jack connector (pull out in order to release)
- Depth and height-adjustable calf pads
- 4" or 6" articulation
- Drop-in or swing-away

**TRU BALANCE®**  
POWER POSITIONING SYSTEMS



TRU-Balance® Color Design Option  
(available only on Power Tilt and Power Recline)



Power Articulating Foot Platform  
shown with calf pad and footplate options



**TRU-Comfort Plus**

- All of the benefits of TRU-Comfort Seating
- Four-way stretch, fluid resistant cover
- Additional 1/2" of viscoelastic foam in seat cushion for maximum comfort and pressure management



**TRU-Comfort Headrest**

- Available in 8" and 10" widths (8" shown)
- Choice of TRU-Comfort and TRU-Comfort Plus covers
- Streamlined mounting bracket offers a greater range of adjustment

**Please Note:** Some options may not be available on all power bases. Please contact Quantum Customer Service for availability.

**SYNERGY®**  
Seating System

**Synergy® Seating System**

The Quantum® Synergy® Seating System offers a clean, streamlined appearance and unparalleled ease of adjustment. The seating system's unique design allows for height, width, depth and back angle adjustments to be made quickly and easily in the field. The Synergy Seat interfaces with most types of seat and back cushions, and was designed to be the most user-friendly system available today.

**FEATURES**

- Easily adjustable and versatile design that can grow with the client
- Easy customization
- Several width/depth adjustment packages ranging from 10" to 24"
- Accepts a wide variety of after-market seats and backs
- Heavy Duty option provides a weight capacity of 650 lbs. and seating up to 32" x 28" (model specific)



Q6 Edge® shown with Synergy® Seating System



**Synergy® Manual Tilt**

- 75 lbs. weight capacity
- Adjustable widths of 10" - 12" and 12" - 14"
- Adjustable depths of 10" - 14"
- Mercury drive lockout
- Optional pediatric stroller-type push handle



**Synergy® Manual Recline**

- Solid curved back pan and 2 ½" raised pivot point to reduce shear forces
- Attendant-activated recline seat
- 10" - 24" wide / 10" - 24" deep
- 300 lbs. weight capacity
- 180° of recline



### Synergy® Simplicity

Tremendous comfort and moderate pressure management

#### FEATURES

- High-density polyurethane foam construction
- Exclusive wrap-and-lift design for pressure management
- Coccyx and sacral relief
- Four-way stretch, fluid resistant upper cover

### Synergy® Spectrum®

Customized comfort and superb positioning and pressure management

#### FEATURES


- Extra deep well
- Choice of twin-cell lightweight fluid or viscoelastic foam insert
- Viscoelastic top layer
- 2-cover system to prevent shearing with interior liner
- 650 lbs. weight capacity with viscoelastic foam insert

### Synergy® Spectrum® Air

4" multi-cell insert and exclusive Sil-Air silicone base deliver unprecedented stability

#### FEATURES

- Multi-cell air bladder
- Unique airflow properties of the Sil-Air silicone foam base help keep skin cool and dry
- Pre-ischial shelf contoured into Sil-Air silicone foam base
- Waterproof, antibacterial Sil-Air base
- Precision air volume adjustment
- Compact hand pump fits in integrated carrying pouch
- Solid seat insert included



Available in sizes as small as 10" x 10"

### Synergy® Solution®

Three-component design for pressure management, positioning and long-lasting comfort

#### FEATURES

- Exclusive wrap-and-lift design for pressure management
- Twin-cell gel insert
- Viscoelastic top layer
- 2-cover system to prevent shearing with interior liner

### Synergy® Solution® 1

Innovative, two-layered design for exceptional pressure management and positioning

#### FEATURES


- High-density polyurethane foam construction
- Coccyx and sacral relief
- Soft gel top layer for skin protection
- Four-way stretch, fluid resistant upper cover

### Synergy® Spectrum® Air Contour

4" multi-cell insert and exclusive Sil-Air silicone base deliver unprecedented stability

#### FEATURES

- Multi-cell air bladder
- Unique airflow properties of the Sil-Air silicone foam base helps keep skin cool and dry
- Lateral and pre-ischial shelf contoured into Sil-Air silicone foam base
- Waterproof, antibacterial Sil-Air base
- Precision air volume adjustment
- Compact hand pump fits in integrated carrying pouch
- Solid seat insert included



### Shape GP

The lightweight Synergy® Shape GP general purpose wheelchair back cushion delivers long-lasting support and exceptional positioning via a contoured design. The unique two-point connection hardware makes removal and adjustment fast and effortless while providing a very solid connection for a secure, rigid feel.

#### FEATURES

- Quick and easy installation on 7/8" and 1" diameter back canes
- Two-point hardware allows for easy removal and provides solid, rigid attachment to chair
- Wraparound cover keeps back cushion from shifting position
- Angle adjustment of 10 to -10 degrees and 2" depth adjustment with client in chair
- High-density foam base to prevent bottom out
- Contoured to help maintain proper positioning

### Shape

The Synergy® Shape Back has features like an enhanced wraparound cover and two-point quick-release levers for easy depth and angle adjustment, even while occupied. Available in standard, low and tall back heights, the Shape utilizes a unique contoured design and dual layer foam construction with viscoelastic foam top layer to offer exceptional comfort, support and pressure management.

#### FEATURES

- Ergonomically contoured
- High-density base foam with a soft viscoelastic upper layer
- Four-way stretch cover overlaps back pan
- Choice of mounting hardware: Two-point, quick-release or four-point, bolt-on hardware for use with TRU-Balance® Power Positioning and Synergy® Seat Frame Systems
- Angle adjustment of 57 to -33 degrees and 2" depth adjustment with user in chair
- Available in standard (19"), low (16") and tall (23") back heights
- Accommodates an array of headrests and accessories

### Shape Deep Contour

The Shape Deep Contour features fully adjustable, gel-covered thoracic lateral supports and dual layer foam construction with a viscoelastic foam top layer for pressure management and comfort. It is an exceptional choice for those who desire superior comfort and support.

#### FEATURES

- Fully adjustable, 7" (H) x 6" (D), gel-covered thoracic lateral supports
- Quick and easy installation on 7/8" and 1" diameter back canes
- Choice of mounting hardware: Two-point, quick-release or four-point, bolt-on hardware for use with TRU-Balance® Power Positioning and Synergy® Seat Frame Systems
- Angle adjustment of 57 to -33 degrees and 2" depth adjustment with user in chair
- High-density foam base with viscoelastic foam top layer to prevent bottom out
- Wraparound cover keeps back cushion from shifting position
- Available in standard (19") and tall (23") back heights

# Q-LOGIC 2 DRIVE CONTROL SYSTEM

The Q-Logic 2 Drive Control System by Quantum Rehab® is the most advanced power chair electronics package available. The Q-Logic Series creates an adaptable, expandable control system that serves even the most complex needs while delivering a host of exclusive features.

## FEATURES

- More programming and customization options for a smooth ride
- Larger 2.8" LCD screen
- Built-in ambient light sensor automatically adjusts screen brightness
- Controller armor available in color matching options
- Enhanced horn volume
- [coming soon] Bluetooth access to computer, tablet and phone functions
- [coming soon] iPhone and Android compatibility



## Q-Logic EX Enhanced Display

The optional Enhanced Display serves as a separate screen used with specialty drive controls to display system data. With the Enhanced Display's built-in environmental controls, Q-Logic can operate a wide range of appliances that use infrared (IR) remote controls, such as televisions, and serves as a Bluetooth computer mouse emulator.



Q-Logic 2 Joystick

Drive Screen

Seating Screen

## Optional Modules



EX Stand-Alone Joystick (SAJ) / EX Attendant Joystick



EX Joystick for LED lights



Advanced Actuator Module (AAM)



Sip-N-Puff



Environmental Control Unit (ECU)

## Programming Devices



Hand-held Programmer



PC Programmer

## Q-Logic NE Series



Q-Logic NE



Q-Logic NE+

## Non-Expandable



NE and NE+



PG VR2 (4-key)



PG VR2 (6-key)



PG VR2 (9-key)

## Expandable



Q-Logic EX Joystick



Q-Logic EX Joystick with Lights



Q-Logic EX Enhanced Display



Q-Logic EX Stand Alone Joystick/ EX Attendant Joystick


## Multi-Switch Systems




TASH Star Board



TASH Penta Switch



TASH Waferboard




Switch-It Lap Tray




TASH Mini Joystick with Push



ASL 3-Switch Head Array



3-Switch Stealth Ultra Head Array



Switch-It Head Array (3, 4 or 5 switch)


## Proportional Drive Controls




ASL Micro Extremity Control



Switch-It Proportional Joystick



Finger Steering



HMC Mini Joystick



Stealth Mushroom Joystick



ASL Rim Control



Switch-It Touch Pad

## Single Switch




TASH Tip Switch




TASH Pillow Switch



TASH Trigger Switch



Switch-It Microtouch



Buddy Button



Egg Switch



MicroLite Switch



Switch-It Uniwobble Switch

## Sip-N-Puff Options



Therafin Whisper-Lite Sip-N-Puff Hardware



ASL Sip-N-Puff Head Array



Switch-It Sip-N-Puff with Opti-Stop

## Additional Options



ASL Remote Stop Switch



Switch-It Remote Stop Switch



TASH Relax II Infrared Interface Module



Joystick Handles



**Litestream® XF**



Litestream® XF with standard configuration



Litestream® XF with HD configuration



Litestream® XF with Ultra-hemi configuration



The Litestream® XF ultralight manual wheelchair uses a unique, innovative, rigidizing double X folding frame that delivers the versatility and performance of a rigid frame while folding to a width of only 9" for easy transport. The Litestream XF accepts a broad selection of accessories to meet a wide variety of needs and personal preferences while remaining an excellent overall value. The Litestream XF is also available in an HD configuration that weighs just 39 lbs. and features a cane-to-cane rigidizing bar for added stability.

**FEATURES**

<b>Medicare Code:</b>	K0005
<b>Product Weight:</b>	26.5 lbs. <sup>1</sup>
<b>Weight Capacity:</b>	250 lbs. (350 lbs. with HD configuration)
<b>Seat-to-Floor Heights:</b>	15"-19.5" front 14.5"-19" rear 12.5"-16.5" front (Ultra-Hemi) 12.5"-19" rear (Ultra-Hemi)
<b>Seat Sizes:</b>	Width: 14"-21" (HD: 18" - 22") Depth: 14"-20" (HD: 18" - 20") (Available in 1" increments)

**Litestream® Junior**



Litestream® Junior folding frame shown in standard configuration



Litestream® Junior folding frame shown in reverse configuration

From the classroom to the playground, the Litestream® Junior is a superb manual wheelchair for even the most active child. The Litestream Junior accepts a wide range of accessories and options making it a highly adaptable and versatile rehab solution.

**FEATURES**

<b>Medicare Codes:</b>	E1237 (Rigid) E1238 (Folding)
<b>Product Weight:</b>	23.5 lbs. <sup>2</sup>
<b>Weight Capacity:</b>	125 lbs. (Short frame) 150 lbs. (Medium frame) 175 lbs. (Long frame)
<b>Seat-to-Floor Heights:</b>	12"-17.5" caster wheel 11"-19.5" drive wheel
<b>Seat Sizes:</b>	Width: 10"-16" Depth: 10"-17" (Available in 1" increments)
<b>Growth Adjustability:</b>	Width adjustable rigid frame 3" of depth adjustment

**FOOTNOTES:**  
1) Standard configuration: 16" x 16", 19" back rest, sling upholstery, push-to-lock brakes, 24" spoke wheels, 1-3/8" pneumatic tires, 6" casters (not including leg rests).  
2) 14" x 14", push-to-lock brakes, 20" spoke wheels, 1-3/8" flat-free tires, 5" casters (not including leg rests) and standard armrests

**Kids FAST™**

The Kids FAST™ chair from Kids UP® delivers a complete seating and positioning system that is fully adjustable to grow with a child. The Kids FAST features a lightweight, easy to fold base that provides plenty of storage and user-friendly features for children and parents.

The Reaction™ Dynamic Seating System allows a child the freedom to move into flexion or extension in the chair while maintaining proper pelvic positioning and therapeutic support.

**FEATURES**

<b>Weight Capacity</b>	80 lbs.
<b>Seat Depth Range</b>	5.5" - 14.5"
<b>Seat Width Range</b>	6" - 12"
<b>Back Height Range</b>	11" - 19.5"
<b>Hip Angle Adjustment</b>	83°, 90°, 97°, 104°
<b>Tilt-in-Space Range</b>	-5° to +45°
<b>Shell Weight (average config.)</b>	18.5 lbs.
<b>Base Weight (with wheels)</b>	28 lbs.
<b>Folded Dimensions</b>	(W)23" x (H)21" x (L)35"



Kids FAST™

**Kids ROCK® 2**

The Kids ROCK® 2 chair from Kids UP® offers highly adjustable and fully customizable seating and positioning to meet the needs of a growing child. Its easy to operate design makes it the perfect choice for children and parents.

The Reaction™ Dynamic Seating System allows a child the freedom to move into flexion or extension in the chair while maintaining proper pelvic positioning and therapeutic support.



**FEATURES**

<b>Weight Capacity</b>	115 lbs.
<b>Seat Depth Range</b>	10" - 16"
<b>Seat Width Range</b>	8" - 14"
<b>Back Height Range</b>	12" - 22"
<b>Lower Leg Length Range</b>	6" - 16"
<b>Hip Angle Adjustment</b>	83°, 90°, 97°, 104°
<b>Tilt-in-Space Range</b>	-5° to +45°
<b>Folded Dimensions</b>	(W)25" x (H)27" x (L)37"

**Kids ROCK® 3**

The Kids ROCK® 3 chair from Kids UP® features a complete seating and positioning system with a large adjustment of ranges. Simple operation and plenty of user-friendly options for children and parents come together for a superior therapeutic chair.

The Reaction™ Dynamic Seating System allows a child the freedom to move into flexion or extension in the chair while maintaining proper pelvic positioning and therapeutic support.



**FEATURES**

<b>Weight Capacity</b>	215 lbs.
<b>Seat Depth Range</b>	14" - 20"
<b>Seat Width Range</b>	12" - 17"
<b>Back Height Range</b>	18" - 26"
<b>Lower Leg Length Range</b>	12" - 20"
<b>Hip Angle Adjustment</b>	83°, 90°, 97°, 104°
<b>Tilt-in-Space Range</b>	-5° to +45°
<b>Folded Dimensions</b>	(W)27" x (H)27" x (L)37"



QUANTUM REHAB®



	Q6 Power Chair Series				Rear-Wheel Drive	Mid-Wheel Drive	Front-Wheel Drive
	Q6 EDGE®	QUANTUM® 6000Z	QUANTUM® 610	Q6 EDGE® HD	QUANTUM® RIVAL™	J6	QUANTUM® 1450
<b>DRIVE WHEELS</b>	14" Pneumatic <sup>2</sup> 14" Solid <sup>1</sup>	14" Pneumatic <sup>2</sup> 14" Solid <sup>1</sup>	10" Pneumatic <sup>2</sup> 10" Solid <sup>1</sup>	14" Pneumatic <sup>2</sup> 14" Solid <sup>1</sup>	14" Pneumatic <sup>2</sup> 14" Solid <sup>1</sup>	10" Pneumatic <sup>2</sup> 10" Solid <sup>1</sup>	14" Solid
<b>CASTER WHEELS</b>	Front: 6" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	Front: 5" Solid Rear: 6" Solid	Front: 6" Solid Rear: 6" Solid	9" Pneumatic <sup>1</sup> 9" Flat-free <sup>2</sup>	Front: 5" Solid Rear: 6" Solid	9" Solid
<b>ANTI-TIP WHEELS</b>	N/A	N/A	N/A	N/A	N/A	N/A	4" Solid
<b>MAXIMUM SPEED<sup>4</sup></b>	Up to 5 mph <sup>1</sup> / 6 mph <sup>2,3</sup>	Up to 6.1 mph <sup>1</sup> / 8.1 mph <sup>2</sup>	Up to 4 mph	Up to 4.7 mph	Up to 6 mph	Up to 4 mph	Up to 4.5 mph
<b>GROUND CLEARANCE</b>	3" (frame center)	2.875" (caster arm)	2.75" (battery trail rail)	3" (frame center)	3.25" (frame base)	2.75" (battery trail rail)	1.5" (anti-tip wheels)
<b>TURNING RADIUS<sup>5</sup></b>	20"	22.5"	19"	22"	25.75"	19"	26.5"
<b>OVERALL LENGTH<sup>5</sup></b>	35.5"	36"	34.25"	36.75"	35"	34.25"	38.25"
<b>BASE WIDTH</b>	24"	25.875"	23.5"	26"	24.5"	23.5"	28.5"
<b>SYNERGY® AND TRU-BALANCE® ALLOWABLE SIZES<sup>13</sup></b>							
<b>SYNERGY® SEAT</b>	Width: 10" - 22" Depth: 10" - 22"	Width: 10" - 24" Depth: 10" - 24"	Width: 10" - 20" Depth: 10" - 20"	Width: 20" - 28" Depth: 15" - 28"	Width: 10" - 22" Depth: 10" - 20"	Width: 10" - 20" Depth: 10" - 20"	Width: 20" - 32" Depth: 20" - 28"
<b>POWER TILT</b>	Width: 14" - 22" Depth: 14" - 22"	Width: 14" - 24" Depth: 14" - 24"	Width: 14" - 20" Depth: 14" - 20"	Width: 20" - 28" Depth: 16" - 28"	Width: 14" - 22" Depth: 14" - 20"	Width: 14" - 20" Depth: 14" - 20"	Width: 20" - 32" Depth: 20" - 28"
<b>LIFT &amp; TILT</b>	Width: 16" - 20" Depth: 16" - 20"	Width: 16" - 20" Depth: 16" - 20"	Width: 16" - 20" Depth: 16" - 20"	N/A	Width: 16" - 22" <sup>18</sup> Depth: 16" - 22" <sup>18</sup>	N/A	N/A
<b>PEDIATRIC TILT</b>	Width: 11" - 14" Depth: 10" - 18"	Width: 11" - 14" Depth: 10" - 18"	Width: 11" - 14" Depth: 10" - 18"	N/A	Width: 11" - 14" Depth: 10" - 18"	N/A	N/A
<b>LOWEST SEAT-TO-FLOOR HEIGHTS</b>							
<b>SYNERGY® SEAT<sup>8,9</sup></b>	15.9" - 17.9"	18" - 20"	16.5" - 18.5"	16.5" - 18.5"	16.5" - 18"	16.5" - 18.5"	16.5" - 18.5"
<b>POWER TILT<sup>8,9</sup></b>	17.3" - 19.3"	17.9" - 19.9" 16.6" with Super Low <sup>11</sup>	17"	18.2" - 20.9" <sup>17</sup>	16.5" - 18"	17" <sup>16</sup>	18" - 20" <sup>17</sup>
<b>LIFT &amp; TILT<sup>8,9</sup></b>	19.4" - 21.4"	20" 18" with Super Low <sup>11</sup>	18.3"	N/A	19.3" - 20.8"	N/A	N/A
<b>PEDIATRIC TILT<sup>8,9</sup></b>	17.25" - 19.25"	17.5" - 19.5"	16.5" - 18.5"	N/A	Available (Call for dimensions.)	N/A	N/A
<b>AVAILABLE WITH MANUAL TILT / RECLINE<sup>10</sup></b>	YES	YES	YES	NO	YES	YES	NO
<b>BATTERY SIZE (STANDARD)<sup>6</sup></b>	NF-22	NF-22 or Group 24	U-1	Group 24	70A, Group 24	U-1	Group 24
<b>BATTERY WEIGHT<sup>14</sup></b>	38 lbs.	38 lbs. - 52 lbs.	24.5 lbs.	52 lbs.	52 lbs.	24.5 lbs.	52 lbs.
<b>AVAILABLE ELECTRONICS<sup>12</sup></b>	75A Q-Logic NE 75A Q-Logic NE+ 90A Q-Logic EX	75A Q-Logic NE 75A Q-Logic NE+ 90A Q-Logic EX <sup>13</sup>	70A PG VR2 70A Q-Logic EX	75A Q-Logic NE 75A Q-Logic NE+ 100A Q-Logic EX	75A Q-Logic NE 75A Q-Logic NE+ 90A Q-Logic EX	70A Q-Logic NE 70A Q-Logic NE+ 70A Q-Logic EX	90A VR2 6-key 100A Q-Logic EX
<b>STANDARD CHARGER</b>	8A Off-board	8A Off-board	5A Off-board	8A Off-board	8A Off-board	5A Off-board	8A Off-board
<b>MOTOR PACKAGES</b>	4-Pole 5 mph <sup>1</sup> or 4-Pole 6 mph	4-Pole 6 mph <sup>1</sup> or 4-Pole 8 mph <sup>2</sup>	2-Pole Glide	4-Pole	4-Pole	2-Pole	4-Pole
<b>WEIGHT CAPACITY<sup>7</sup></b>	300 lbs.	300 lbs.	300 lbs. <sup>16</sup>	450 lbs.	300 lbs.	300 lbs. <sup>16</sup>	600 lbs.
<b>BASE WEIGHT</b>	138 lbs.	147 lbs.	112 lbs.	142 lbs.	129 lbs.	104.5 lbs.	195 lbs.
<b>MEDICARE CODE COVERAGE - For more information on Medicare code coverage, please consult our Product Planning and Reimbursement Center.</b>							
	<b>Group 3:</b> Standard (K0848/ K0849), Single Power (K0856/ K0857), Multiple Power (K0861)	<b>Group 3:</b> Standard (K0848/ K0849), Single Power (K0856/ K0857), Multiple Power (K0861)	<b>Group 2:</b> Standard (K0822/ K0823), Single Power (K0835/K0836)	<b>Group 3:</b> Heavy Duty (K0850/ K0851), Single Power HD (K0858), Multiple Power HD (K0862)	<b>Group 3:</b> Standard (K0848/ K0849), Single Power (K0856), Multiple Power (K0861)	<b>Group 2:</b> Standard (K0822/ K0823), Single Power (K0835)	<b>Group 3:</b> Heavy Duty K0850/ K0851), Very Heavy Duty (K0852/K0853), Single Power HD (K0858), Single Power Very Heavy Duty (K0860)

END-TO-END REHAB SOLUTIONS

The information contained herein is correct at the time of publication. We reserve the right to alter specifications without prior notice.

	Candy Apple Red	Viper Blue	Onyx Black	Sunburst Orange	Metallic Red	Metallic Blue	Metallic Black	Metallic Silver	Pearl Pink	True Blue	Orion Yellow	Emerald Green	Sapphire Blue	Silver
<b>Q610</b>	Yes	Yes	Yes	Yes	N/A	N/A	N/A	N/A	Yes	Yes	Yes	N/A	N/A	N/A
<b>Q6000Z</b>	N/A	N/A	N/A	Yes	Yes	Yes	Yes	Yes	N/A	N/A	N/A	N/A	N/A	N/A
<b>Q1450, Rival™ and Q6 Edge HD</b>	Yes	Yes	Yes	Yes	N/A	N/A	N/A	N/A	Yes	Yes	Yes	Yes	Yes	Yes

**FOOTNOTES**

- Standard
- Optional
- High-speed motor package increases speed to 6 mph and reduces weight capacity by 50 lbs.
- Speed varies with user weight, terrain type, battery charge, battery condition and tire pressure.
- Without front riggings
- Battery capacity may change when adding power positioning systems.
- Weight capacity is dictated by the selection of seating.
- All measurements +/- 1/8" with 18" x 18" seat, fixed towers, 300 lbs. weight capacity and solid tires (add 3/8" with pneumatic tires). Widths may increase seat-to-floor height. Contact Customer Service for details. Listed measurements are in the lowest position; does not include elevating system unless specified.
- Power Recline and Power Front Rigging do not increase seat-to-floor height.
- The Synergy® Manual Tilt weight capacity is 75 lbs. and maximum dimensions are 14" W x 14" D. Maximum dimensions of the Manual Recline vary by power base and seating system. Call for details.
- Requires Group 34 batteries
- All Quantum Rehab® units can be ordered with specialty controls
- Required with high-speed motors
- Battery weight may vary based on manufacturer.
- The addition of Power Recline does not affect the allowable seating sizes.
- 250 lbs. weight capacity with TRU-Balance® Systems
- With TRU-Balance® HD Power Tilt
- Requires HD Suspension

HD = Heavy Duty



# Please take advantage of our many services...

## [www.quantumclinician.com](http://www.quantumclinician.com)

- Read clinical blogs and case studies
- Download product literature and order forms
- Access clinical resources such as condition specific literature and Medicare coding documents
- Register for Quantum University CEU classes

## [Quantum® Quick Connect \(1-877-800-7808\)](tel:1-877-800-7808)

Get the answers you need quickly...

- Press **2** to track product orders.
- Press **3** to order parts and troubleshoot products.
- Press **4** to get coding and reimbursement information.
- Press **5** to arrange custom modifications.
- Press **6** to request a quote or order products.

## [Sales Support \(1-866-800-2002\)](tel:1-866-800-2002)

Assistance with design, ordering, pricing and quality assurance.

## [Custom Group \(1-877-465-2999\)](tel:1-877-465-2999)

Providing innovative custom solutions and specialized product modifications – your “off the order form” solution team.

## [Technical Support \(extension 5200\)](tel:1-877-800-5200)

Assistance with troubleshooting and parts order placement.

## [Product Planning and Reimbursement Center](#)

Assistance with understanding Medicare codes and coverage criteria, product planning, provision guidelines, claims coding, pre-screens and assistance in regard to high-end rehab clients.

## [Education](#)

Offering accredited CEU and CEC courses through a national seminar tour. Register for courses online at [www.quantumclinician.com](http://www.quantumclinician.com).

## [Set to Spec Service](#)

Set to Spec Service from Quantum Rehab® is designed to assist you in delivering Q6 Power Chairs to your clients. We will pre-set, to your specifications, seat-to-floor heights, seating center of gravity, armrest heights, front riggings, thoracic and/or thigh laterals.



(US) 866-800-2002 ▪ (Canada) 888-570-1113 ▪ [quantumrehab.com](http://quantumrehab.com)

