Quickie[®] REVOLUTION Ultra-Light & Maneuverable

The Quickie Revolution feels and performs like a rigid frame wheelchair with all the convenience of a folding chair. The unique folding system of the Quickie Revolution allows it to fold up so small and compact that it stows almost anywhere.

Quickie Revolution Highlights:


- Innovative V-front folding frame
- Camber tubes available in 0°, 4°, 8° and 12°
- Patented center of gravity adjustment
- Angle-adjustable backrest





Quickie® FOLDING FAMILY

Quickie Folding Chairs – A complete folding line to suit your mobility needs.



Pediatric



Quickie 2 & Quickie 2 Kids & Quickie 2 HD
Front Seat Height (For Standard Frames Only)

CASTER FORK	5" LP POLY 5 ^{1/4"} FORK	5" LP POLY 7" FORK	6" PNEU 6" FORK	6" POLY 6" FORK	8" PN 5 ^{1/4"} FORK
Тор	16 ^{15/16} "	18 ^{3/4"}	18 ^{5/16"}	18 ^{3/16} "	18 ^{1/2} "
Bottom	17 15/16"	19 ^{3/4"}	19 5/16"	19 ^{3/16} "	19 ^{1/2"}

REAR	20"	22"	22'	•	24"	24"	2	4"	24"	26	5"
AXLE/HOLE	PNEU	FP	PNE	U	LP	FP	H	IP	PNEU/	н	Р
POSITION		POLY			POLY	POLY	CLN	ICHR	KEVLA	R CLN	CHR
1 AND 2	18 7/8"	19 ^{1/2"}	19 ³	/4"	20"	20 1/4"	20	3/8"	20 1/2"	20	1/4"
2 AND 3	17 ^{3/4} "	18 ^{3/8"}	18 ^{5.}	/8"	18 ^{7/8"}	19 ^{1/8"}	19	1/4"	19 ^{3/8"}	20	1/8"
3 AND 4	16 ^{5/8} "	17 ^{1/4"}	17 ¹	/2"	17 ^{3/4"}	18"	18	1/8"	18 ^{1/4"}	19) "
4 AND 5	15 1/2"	16 ^{1/8"}	16 ³	/8"	16 ^{5/8} "	16 ^{7/8} "	1	7"	17 ^{1/8} "	17	7/8"
	Overall Width (With Standard Camber and Padded Swing-Away Arm)										
FRAME WID	TH 12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
ODOI/E MULEE	L 201/2"	21 ^{1/2"}	221/2"	231/2"	241/2"	25 ^{1/2"}	26 ^{1/2"}	27 ^{1/2"}	281/2"	291/2"	301/2"
SPOKE WHEE W/ HANDRIMS											

Quickie 2	Quickie 2 HD	Quickie 2 Kids
Weight: 27 lbs		
Weight Capacity: 250 lbs	Weight Capacity: 350 lbs	Weight Capacity: 250 lbs

Quickie 2H	IP										
Front Seat H	leight ((For \$	Standa	ard Fra	mes Or	ıly)					
CASTER FORK	3" MICF	3" MICROS		CROS	3" MICRO	S 5"	LP POLY	5"LP P	OLY	5"LP PC	
MOUNTING HOLE	5 ^{1/4} "FC	5 ^{1/4} "FORK 6"F		ORK	7" FOR	(5 ¹	^{/4} "FORK	6"FO	RK	7"FORK	
TOP	16 5/1	16"	17	1/8"	18 ^{1/8} "		17 ^{3/16"}			19"	
BOTTOM	17 5/1	16"	18	1/8"	19 ^{1/8} "		18 ^{3/16"}	19"		20"	
Rear Seat Height (For Standard Frames and Standard Axle Plate Position Only)											
REAR	22"	2		24"	24"		24" HT		," "	26" HT	
AXLE/HOLE	PNEU	LA	ГЕХ	HP	PNEU		TEN/B-BALL	LAT	EX	PNEU	
POSITION		тиві	JLAR	CLNCHF	3	TUF	RBO TRD	HP C	LNCHR		
1 AND 2	19 ^{3/4} "	20	1/4"	20 3/8"	20 1/2	,	20 5/8"	21	1/4"	21 5/8"	
2 AND 3	18 ^{5/8"}	19	1/8"	19 ^{1/4"}	19 ^{3/8}	, .	19 ^{1/2} "	20	1/8"	20 1/2"	
3 AND 4	17 ^{1/2} "	1	8"	18 ^{1/8"}	18 ^{1/4}	, .	18 ^{3/8} "	19)"	19 ^{3/8} "	
4 AND 5	16 ^{3/8"}	16	7/8"	17"	17 1/8	, .	17 1/4"	17	1/8"	18 ^{1/4} "	
Overall Widt		h Sta 12"	ndard 13"	Cambe 14"	er and I 15"	Padde 16"	d Swin 17"	18" 18	y Arm 19"	1) 20"	
SPOKE/MAG WHEEL W/HANDRIMS	2	1 1/2"	22 1/2"	231/2"	24 ^{1/2"}	25 ^{1/2"}		27 1/2"	28 1/2	29 1/2"	
Quickie 2 H		0 lba									
Weight:		2 lbs									
Weight Capacit	ıy.	250 lb	15								
Quickie M	6										
FRAME WIDTH	:	24		26'		28"		30"			
OVERALL WIDT	гн:	32.	5"	34.5	5"	36.5		38.5			
FOLDED WIDT	H:	14									
Quickie M6											
Weight:		53	lbs. w/	legrests	(26 x 20)						
Weight Capac	ity:	65	0 lbs								

Front Seat He		01.1/ 67 5		DOUT	01 51	01 5 5 1 1	
CASTER FORK	5" LP P			POLY FORK	8" PNEU 5 ^{1/4"} FORK	8" POLY	
MOUNTING HOLE	6" FOF 17 ^{3/4}			8 3/16"	N/A	N/A	•
воттом	18"			g 3/16"	19 1/2"	19 5/16"	
				-			
Rear Seat Hei			0.4			0.41	
REAR AXLE HOLE	22"		24"	24		24" Draw/	
POSITION	FP Poly	,	FP Poly	H Cline		Pneu/ Kevlar	
Тор	15"		5 3/4"	15		16"	
Middle	16"		6 ^{3/4} "	16		17"	
Bottom	17"		7 3/4"	17		18"	
Armroot Hoig	ht						
Armrest Heig Height-Adjustat							
9" - 14"	ne						
<u> </u>							
Footrest Heig	ht						
SWING-AWAY		ELR					
14" - 21"		16 ^{1/2"} - 19	9"				
Overall Width	(Without	t Armreste	.) 				
Frame Width	14		-	17"	18" 19"	20"	Folde
SPOKE/MAG WHE							
W/ HANDRIMS &							
QUICK-RELEASE A	XLES 22	^{1/4"} 23 ^{1/4"} 2	24 1/4" 2	5 ^{1/4"} 2	6 ^{1/4"} 27 ^{1/2}	[#] 28 ^{1/4} "	12 ^{1/2}
SPOKE/MAG WHE	EL						
W/ HANDRIMS &							
THREADED AXLES	22	2" 23"	24"	25"	26" 27"	28"	12 ^{1/}
	extensio 250 lbs	on and mag.				armrests, hea	
Quickie LX Front Seat He	extensic 250 lbs & LXI sight		wheels				
Quickie LX Front Seat He CASTER FORK	extensic 250 lbs & LXI eight 5"LP Poly	5"LP Poly	wheels	6"Pneu	8"Poly 8	"Pneu 8"x2	2"Cas
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE	extensic 250 lbs & LXI sight 5"LP Poly 4 ^{3/4} " Fork	5" LP Poly 5 ^{1/4} " Fork	wheels 6"Poly 6"Fork	6"Pneu 6"Fork	8" Poly 8 5 ^{1/4"} Fork 5	"Pneu 8" x' ^{1/4"} Fork 8" x	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP	extensic 250 lbs & LXI eight 5"LP Poly	5" LP Poly 5 ^{1/4"} Fork N/A	wheels	6"Pneu	8"Poly 8	"Pneu 8"x2 ^{1/4"} Fork 8"x N/A M	2"Cas
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM	extensic 250 lbs & LXI sight 5" LP Poly 4 ^{3/4"} Fork N/A 16"	5" LP Poly 5 ^{1/4} " Fork	6" Poly 6" Fork 17"	6" Pneu 6" Fork 17"	8"Poly 8 5 ^{1/4"} Fork 5 N/A	"Pneu 8"x2 ^{1/4"} Fork 8"x N/A M	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He	extensic 250 lbs & LXI sight 5"LP Poly 4 ^{3/4"} Fork N/A 16"	5"LP Poly 5^{1/4"}Fork N/A 16 ^{1/2"}	wheels 6" Poly 6" Fork 17" 18"	6"Pneu 6"Fork 17" 18"	8"Poly 8 5 ^{1/4"} Fork 5 N/A 18"	"Pneu 8"x2 ^{1/4"} Fork 8"x N/A M 18" M	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE	extensic 250 lbs & LXI sight 5"LP Poly 4 ^{3/4"} Fork N/A 16" sight 20" LP	5" LP Poly 5 ^{1/4"} Fork N/A	6" Poly 6" Fork 17"	6"Pneu 6"Fork 17" 18"	8"Poly 8 5 ^{1/4"} Fork 5 N/A 18"	"Pneu 8"x2 ^{1/4"} Fork 8"x N/A M 18" M	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE	extensic 250 lbs & LXI sight 5"LP Poly 4 ^{3/4"} Fork N/A 16" sight 20" LP	5"LP Poly 5^{1/4"}Fork N/A 16 ^{1/2"} 20"	6" Poly 6" Fork 17" 18" 22" LF	6"Pneu 6"Fork 17" 18"	8" Poly 8' 5'#Fork 5 N/A 18" 24" LF	"Pneu 8"x' ^{1/4"} Fork 8"x N/A r 18" r 2 24"	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI	extensic 250 lbs & LXI sight 5"LP Poly 4 ^{3/4"} Fork N/A 16" sight 20" LP POLY	5" LP Poly 5 ^{1/4} " Fork N/A 16 ^{1/2"} 20" PNEU	6"Poly 6"Fork 17" 18" 22" LF POLY	6"Pneu 6"Fork 17" 18" 22" PNE	8"Poly 8' 5"4"Fork 5 N/A 18" 24" LF 30 POLY 2" 17"	"Pneu 8" x' ^{1/4"} Fork 8" x N/A M 18" M 2 24" PNEU	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM	extensic 250 lbs & LXI sight 5"LP Poly 434" Fork N/A 16" 20" LP y) POLY 15" 16"	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2"	wheels 6"Poly 6"Fork 17" 18" 22" LF POLY 16" 17"	6"Pneu 6"Fork 17" 18" 9 22" PNE 16 ¹ / 17 ¹ /	8" Poly 8' 5 ¹⁴⁹ " Fork 5 N/A 18" 24" LF 24" LF	"Pneu 8"x2 ^{1/4} "Fork 8"x N/A M 18" M 24" PNEU 17 ^{1/2"} 18 ^{1/2"}	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE	extensic 250 lbs & LXI sight 5"LP Poly 434" Fork N/A 16" 20" LP Y) POLY 15" 16" 20" LP 20" LP	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20"	wheels 6"Poly 6"Fork 17" 18" 22" LF POLY 16" 17" 22" LF	6"Pneu 6"Fork 17" 18" 9 22" PNE 16 ^{1/} 17 ^{1/} 17 ^{1/} 9 22"	8" Poly 8 5 ¹⁴⁹ " Fork 5 N/A 18" 24" LF 24" LF 24" LF 24" LF 18" 24" LF	"Pneu 8"x2 ^{1/4"} Fork 8"x N/A M 18" M 24" PNEU 17 ^{1/2"} 18 ^{1/2"} 2 24"	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE	extensic 250 lbs & LXI sight 5"LP Poly 434" Fork N/A 16" 20" LP 15" 16" 20" LP 20" LP 20" LP	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20"	wheels 6"Poly 6"Fork 17" 18" 22" LF POLY 16" 17"	6" Pneu 6" Fork 17" 18" 22" PNE 16 ¹⁾ 17 ¹⁾ 17 ¹⁾ 22" PNE	8" Poly 8 5 ^{1/4"} Fork 5 N/A 18" 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF	"Pneu 8" x2 1 ^{1/4} "Fork 8" x N/A r 18" r 24" PNEU 17 1/2" 18 1/2" 0 24" PNEU	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A)	extensic 250 lbs & LXI ight 5" LP Poly 43'4" Fork N/A 16" ight 20" LP POLY 15" 16" 20" LP POLY POLY	5"LP Poly 5 ^{1/4"} Fork N/A 16 ^{1/2"} 20" PNEU 15 ^{1/2"} 16 ^{1/2"} 20" PNEU 15"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 22" LF POLY	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ^{1/} 17 ^{1/} 9 22" PNE 16'	8"Poly 8 5"4"Fork 5 N/A 18" 24" LF 24" LF 30 POLY 22" 17" 24" LF 24" LF 30 POLY 24" LF 30 POLY 34" LF 34" L	"Pneu 8" x2 14"Fork 8" x N/A M 18" M 24" PNEU 17 1/2" 18 1/2" 24" PNEU 17"	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A) TOP	extensic 250 lbs & LXI ight ************************************	5"LP Poly 5 ^{1/4"} Fork N/A 16 ^{1/2"} 20" PNEU 15 ^{1/2"} 16 ^{1/2"} 20" PNEU 15"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 18"	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ^{1/} 17 ^{1/} 9 22" PNE 16'	8"Poly 8' 5'\4"Fork 5 N/A 18" 24" LF 24" LF	"Pneu 8" x2 14" Fork 8"x N/A M 18" M 24" PNEU 17 1/2" 18 1/2" 24" PNEU 17" 18"	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A) TOP MIDDLE BOTTOM	extensic 250 lbs & LXI sight 5"LP Poly 434" Fork N/A 16" 20" LP 15" 16" 20" LP POLY 15" 16" 20" LP POLY N/A 15 ^{1/2"} 17"	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20" PNEU 15" 16"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 16" 17" 16" 17"	6"Pneu 6"Fork 17" 18" 9 22" PNE 16 ¹ / 17 ¹ / 9 22" PNE 16' 17 ¹ /	8"Poly 8' 5 ^{1/4"} Fork 5 N/A 18" 24" LF U POLY 2" 17" 24" LF 24" LF 18" 24" LF 10" 10" 10" 10" 10" 10" 10" 10"	"Pneu 8"x2 ^{14"} Fork 8"x N/A N 18" N P 24" PNEU 17 ^{1/2"} 18 ^{1/2"} P 24" PNEU 17" 18" 19 ^{1/2"}	2"Cas 2"For
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A) TOP MIDDLE BOTTOM Armrest Heig	extensic 250 lbs & LXI sight 5"LP Poly 434" Fork N/A 16" 20" LP 15" 16" 20" LP POLY 15" 16" 20" LP N/A 15 ^{1/2"} 17" ht	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20" PNEU 15" 16" 15"	6"Poly 6"Fork 17" 18" 22" LF POLY 16" 17" 18"	6"Pneu 6"Fork 17" 18" • 22" PNE 16 1/ 17 1/ • 22" PNE 16" 171/ 18 ^{1/}	8"Poly 8 5149"Fork 5 N/A 18" 24" LF U POLY 24" LF U POLY 24" LF U POLY 24" LF 24" LF 2	"Pneu 8"x2 ^{14"} Fork 8"x N/A N 18" N P 24" PNEU 17 1/2" 18 1/2" P 24" PNEU 17" 18" 191/2" Height	2"Cas 2"For N/A N/A
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.AX TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK	extensic 250 lbs & LXI ight ************************************	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20" PNEU 15" 16" 15" 16" 17 ^{1/2"}	6"Poly 6"Fork 17" 18" 22" LF POLY 16" 17" 18"	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ¹ 17 ¹ / 9 22" PNE 16 ¹ 17 ¹ / 18 ¹ /	8"Poly 8' 5 ^{1/4"} Fork 5 N/A 18" 24" LF U POLY 2" 17" 24" LF 24" LF 18" 24" LF 10" 10" 10" 10" 10" 10" 10" 10"	"Pneu 8" x2 1/4" Fork 8" x N/A 1 18" N P 24" PNEU 17 1/2" 18 1/2" P 24" PNEU 17" 18" 191/2" Height	2"Cas 2"Forl N/A N/A
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A) TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F	extensic 250 lbs & LXI ight ************************************	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20" PNEU 15" 16" 171/2" 16" 171/2"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 18" 22" LF POLY 16" 17" 22" LF POLY 16" 151/2" 161/2" 18" S/A HT.	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ¹ / 17 ¹ / 9 22" PNE 16' 17 ¹ / 18 ¹ / 4DJ.	8"Poly 8' 51/4"Fork 5 N/A 18" 24" LF 24" LF	"Pneu 8" x2 14" Fork 8"x N/A r 18" N 24" PNEU 17 1/2" 18 1/2" 24" PNEU 17" 18" 191/2" Height Y ELR/A	2"Cas 2"Ford V/A N/A
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A2) TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F	extensic 250 lbs & LXI ight ************************************	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20" PNEU 15" 16" 171/2" 4 PADDED 5 J.	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 18" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 16" 5/A HT. 5/A HT. 7 1/4"-	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ¹ 17 ¹ / 9 22" PNE 16' 17 ¹ / 18 ¹ / 18 ¹ / 18 ¹ /	8" Poly 8' 5'/4" Fork 5 N/A 18" 24" LF U POLY 2" 17" 2" 18" 24" LF U POLY 16" 2" 171/2" 2" 181/2" Footrest H SWING-AWA	"Pneu 8" x2 14" Fork 8"x N/A r 18" N 24" PNEU 17 1/2" 18 1/2" 24" PNEU 17" 18" 191/2" Height Y ELR// 44" 14"-1	2"Cas 2"For N/A N/A ALR 61 /2"
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A) TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F	extensic 250 lbs & LXI ight ************************************	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20" PNEU 15" 16" 171/2" 16" 171/2"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 18" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 16" 5/A HT. 5/A HT. 7 1/4"-	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ¹ / 17 ¹ / 9 22" PNE 16' 17 ¹ / 18 ¹ / 4DJ.	8"Poly 8' 51/4"Fork 5 N/A 18" 24" LF 24" LF	"Pneu 8" x2 14" Fork 8" x N/A r 18" r PNEU 17 1/2" 18 1/2" PNEU 17 1/2" 18 1/2" PNEU 17" 18" 191/2" Height AY ELR// 44" 14"-1 44" 16 1/2	2"Cas 2"For N/A N/A
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A) TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F H 9 1/4"	extensic 250 lbs & LXI sight 5"LP Poly 43'4" Fork N/A 16" ight 20" LP POLY 15" 16" 20" LP POLY N/A 15 ''LP 15" 16" 20" LP POLY N/A 15 ''LP 15" 16" 20" LP POLY 15" 16" 20" LP POLY 15" 16" 15" 16" 15" 15" 16" 15" 15" 15" 15" 15" 15" 15" 15	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20" PNEU 15" 16" 171/2" (PADDED 5 J. 3" 8 3/4"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 151/2" 16" 18" S/A HT. 8 3/4"-	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ¹ 17 ¹ / 9 22" PNE 16' 17 ¹ / 18 ¹ / 18 ¹ / 18 ¹ /	8"Poly 8' 5''4"Fork 5 N/A 18" 24" LF U POLY 24" LF U POLY 24" LF 24"	"Pneu 8" x2 14" Fork 8" x N/A r 18" r PNEU 17 1/2" 18 1/2" PNEU 17 1/2" 18 1/2" PNEU 17" 18" 191/2" Height AY ELR// 44" 14"-1 44" 16 1/2	2"Cas 2"For N/A N/A ALR 61 /2"
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A) TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F H 9 1/4"	extensic 250 lbs & LXI ight N/A 16" ight 20" LP POLY 15" 16" 20" LP POLY N/A 15 1/2" 17" ht LIP-BACK EIGHT AD. 3 34"-12 5/5	5"LP Poly 51/4" Fork N/A 16 1/2" PNEU 15 1/2" 16 1/2" PNEU 15" 16" 171/2" Y PADDED 5 J. 3" 8 3/4"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 151/2" 161/2" 18" S/A HT. 8 3/4"- \$)	6" Pneu 6" Fork 17" 18" 22" PNE 16 ¹ / 17 ¹ / 9 22" PNE 16' 17 ¹ / 18	8" Poly 8' 5' ^{44"} Fork 5 N/A 18" 24" LF U POLY 2" 17" 2" 18" 24" LF U POLY 16" 2" 171/2" 2" 181/2" Footrest H SWING-AWA 12 3/4"-15 1 15 1/4"-17 3 17 3/4"-20 1	"Pneu 8" x2 1/4" Fork 8"x N/A r 18" N 2 24" PNEU 17 1/2" 18 1/2" 2 24" PNEU 17" 18" 191/2" Height XY ELR// 44" 14"-1 16 1/2	2"Cas 2"Ford N/A N/A ALR 6 ^{1 /2"}
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.AX TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F H 9 1/4"	extensic 250 lbs & LXI sight 5"LP Poly 43'4" Fork N/A 16" ight 20" LP POLY 15" 16" 20" LP POLY N/A 15 ''LP 15" 16" 20" LP POLY N/A 15 ''LP 15" 16" 20" LP POLY 15" 16" 20" LP POLY 15" 16" 15" 16" 15" 15" 16" 15" 15" 15" 15" 15" 15" 15" 15	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 20" PNEU 15" 16" 171/2" (PADDED 5 J. 3" 8 3/4"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 151/2" 18" S/A HT. 8 3/4"-	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ¹ 17 ¹ / 9 22" PNE 16' 17 ¹ / 18 ¹ / 18 ¹ / 18 ¹ /	8"Poly 8 5'/4"Fork 5 N/A 18" 24" LF 24" L	"Pneu 8" x2 14" Fork 8" x N/A r 18" r PNEU 17 1/2" 18 1/2" PNEU 17 1/2" 18 1/2" PNEU 17" 18" 191/2" Height AY ELR// 44" 14"-1 44" 16 1/2	2"Cas 2"For N/A N/A ALR 61 /2"
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.AX TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F H 9 1/4" Overall Width FRAME WIDTH MAG WHEEL	extensic 250 lbs & LXI ight N/A 16" ight 20" LP POLY 15" 16" 20" LP POLY N/A 15 1/2" 17" 17" 17" 15" 16" 20" LP POLY N/A 15 1/2" 17" 15" 16" 20" LP POLY N/A 15 1/2" 17" 15" 16" 15 1/2" 17" 17" 17" 15 1/2" 17" 15 1/2" 17" 17" 15 1/2" 17" 15 1/2" 17" 17" 15 1/2" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 17" 15 1/2" 17" 15 1/2" 17" 17" 17" 17" 15 1/2" 17" 17" 17" 17" 17" 17" 17" 17" 15 12.5 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 9 20" PNEU 15" 16" 171/2" 9 20" PNEU 15" 16" 3" 8 3/4" 5 3 3/4"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 18" 22" LF POLY 16" 17" 8" S/A HT. 8 3/4"- 5) 16"	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ¹ / 17 ¹ / 9 22" PNE 16' 17 ¹ / 18 ¹ / 18 ¹ / 13 ³ /4"	8"Poly 8' 5''4"Fork 5 N/A 18" 24" LF U POLY 24" LF U POLY 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 10" 24" LF 10" 24" LF 10" 24" LF 10" 10" 10" 10" 10" 10" 10" 10"	"Pneu 8" x2 14"Fork 8"x N/A P 18" P PNEU 17 1/2" 18 1/2" 24" PNEU 17" 18" 191/2" Height AY ELR/A 44" 14"-1 44" 16 1/2 44"	2"Cas 2"Ford N/A N/A ALR 6 ^{1 /2"}
Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A) TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F H 9 1/4" Overall Width FRAME WIDTH MAG WHEEL W/ HANDRIMS	extensic 250 lbs & LXI ight Sight N/A 16" ight 20" LP POLY 15" 16" 20" LP POLY 15" 16" 20" LP POLY N/A 15 1/2" 17" ht LIP-BACK EIGHT AD. 3 34"-12 5/5 (Without)	5"LP Poly 51/4" Fork N/A 16 1/2" PNEU 15 1/2" 16 1/2" PNEU 15" 16" 171/2" Y PADDED 5 J. 3" 8 3/4"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 151/2" 161/2" 18" S/A HT. 8 3/4"- \$)	6" Pneu 6" Fork 17" 18" 22" PNE 16 ¹ / 17 ¹ / 9 22" PNE 16' 17 ¹ / 18	8"Poly 8' 5''4"Fork 5 N/A 18" 24" LF U POLY 24" LF U POLY 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 24" LF 10" 24" LF 10" 24" LF 10" 24" LF 10" 10" 10" 10" 10" 10" 10" 10"	"Pneu 8" x2 1/4" Fork 8"x N/A r 18" N 2 24" PNEU 17 1/2" 18 1/2" 2 24" PNEU 17" 18" 191/2" Height XY ELR// 44" 14"-1 16 1/2	2"Cas 2"Ford N/A N/A ALR 6 ^{1 /2"}
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.AX TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F H 9 1/4" Overall Width FRAME WIDTH MAG WHEEL	extensic 250 lbs & LXI ight N/A 16" ight 20" LP POLY 15" 16" 20" LP POLY N/A 15 1/2" 17" 17" 17" 15" 16" 20" LP POLY N/A 15 1/2" 17" 15" 16" 20" LP POLY N/A 15 1/2" 17" 15" 16" 15 1/2" 17" 17" 17" 15 1/2" 17" 15 1/2" 17" 17" 15 1/2" 17" 15 1/2" 17" 17" 15 1/2" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 17" 15 1/2" 17" 17" 15 1/2" 17" 17" 17" 15 1/2" 17" 17" 17" 17" 17" 17" 17" 17" 17" 17" 15 12.5 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7 17.7	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 9 20" PNEU 15" 16" 171/2" 9 20" PNEU 15" 16" 3" 8 3/4" 5 3 3/4"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 18" 22" LF POLY 16" 17" 8" S/A HT. 8 3/4"- 5) 16"	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ¹ / 17 ¹ / 9 22" PNE 16' 17 ¹ / 18 ¹ / 18 ¹ / 13 ³ /4"	8"Poly 8" 5 ^{1/4"} Fork 5 N/A 18" 18" 24" LF 24" LF POLY '2" 17" '2" 17" '2" 17" '2" 16" 24" LF 16" 24" LF 12" '2" 171/2" '2" 181/2" Footrest H SWING-AWA 12 3/4"-15 15 1/4"-17 17 3/4"-20 '20" 20"	"Pneu 8" x2 14"Fork 8"x N/A P 18" P PNEU 17 1/2" 18 1/2" 24" PNEU 17" 18" 191/2" Height AY ELR/A 44" 14"-1 44" 16 1/2 44"	2"Cas 2"Ford N/A N/A ALR 6 ^{1 /2"}
Quickie LX Front Seat He CASTER FORK MOUNTING HOLE TOP BOTTOM Rear Seat He REAR AXLE HOLE POSITION (LX ONI TOP BOTTOM REAR AXLE HOLE POSITION (ADJ.A) TOP MIDDLE BOTTOM Armrest Heig FLIP-BACK F H 9 1/4" Overall Width FRAME WIDTH MAG WHEEL W/ HANDRIMS SPOKEWHEEL	extensic 250 lbs & LXI ight % % % % % % % %	5"LP Poly 51/4" Fork N/A 16 1/2" 20" PNEU 15 1/2" 16 1/2" 7 20" PNEU 15" 16" 171/2" 7 PADDED 3 3" 8 3/4" 5 4 Armrests 14" 21"	6" Poly 6" Fork 17" 18" 22" LF POLY 16" 17" 18" 22" LF POLY 16" 17" 22" LF POLY 16" 17" 22" LF POLY 16" 7" 16" 3/4"- 3) 16" 23"	6" Pneu 6" Fork 17" 18" 9 22" PNE 16 ¹⁷ 17 ¹⁷ 9 22" PNE 16' 17 ¹⁷ 18 ¹⁷ 18 ¹⁷ 18 ¹⁷ 13 ^{3/4"}	8"Poly 8" 5 ^{1/4"} Fork 5 N/A 18" 18" 24" LF 24" LF POLY '2" 17" '2" 17" '2" 17" '2" 16" 24" LF 16" 24" LF 12" '2" 171/2" '2" 181/2" Footrest H SWING-AWA 12 3/4"-15 15 1/4"-17 17 3/4"-20 '20" 20"	"Pneu 8" x2 144" Fork 8"x N/A N 18" N 24" PNEU 17 1/2" 18 1/2" 24" PNEU 17" 18" 191/2" Height AY ELR// 44" 14"-1 14" 16 1/2 44" FOLDED 121/2"	2"Cas 2"Ford N/A N/A ALR 6 ^{1 /2"}

SPECIFICATIONS

Quickie Revolution

Front Seat Height (For Standard Frames Only) CASTER FORK 5" MICRO 5" POLY 6" PNEU 6" POLY 5 1/4" 5 1/4" 5 1/4" 5 1/4" MOUNTING HOLE 17 1/8" 17 ^{3/4"} тор N/A 17 ^{1/4"} воттом 17 1/4 18 1/4" 18 7/8" 18 3/4"

REAR SEAT HEIGHT (FOR STANDARD FRAMES AND AXLE POSITION ONLY) CAMBER/REAR 22" 24" 24" 24" HT 26" 26" 26" HT AXLE HOLE PNEU PNEU LATEX TEN/BBALL HP PNEU TEN/BBALL POSITION TURBO TRD CLINCHER TURBO TRD 15 1/4 16 1/8 15 3/4" 0°.4%NO SPACER 16 1/4" 16 7/8" 17 1/4 17 5/8" 14 1/2" 15 3/8" 16 7/8" 15 1/2" 16^{1/8}" 16 1/2" 8°, 12%NO SPACER 15" 16 7/8" 16^{1/2'} 17 5/8 18 3/8" 8°, 4° + 3/4° 16" 17" 18" 15 1/4 16^{1/8} 15 ^{3/4"} 16 1/4 16 7/8" 17 1/4" 17 5/8" 3°, 12° + 3/4° 19^{1/8"} 17 1/4" 17 3/4 18 3/8 18 3/4" 16 3/4 17 5/8)°, 4° + 1 1/2° 16 7/8" 16^{1/2"} 17 5/8" 18 3/8" 15" 17" 18" 8°, 12° + 1 1/2°

Overall Width (With 4° of camber)

			,				
Frame Width	14"	15"	16"	17"	18"	19"	20"
SpokeWheel*							
with Handrims	24"	25"	26"	27"	28"	29"	30"
Quickie M6							
Weight:		23 lbs.					
Weight Capacity:		250 lbs					

Quickie 2 True Fit Program

Physical changes can cause a chair not to fit properly. To ensure proper fit, Sunrise offers one-time replacement for growth of the seat sling, back upholstery, footplates, hangers, back tubes, frame and crossbrace at no extra charge. (For up to three years from delivery on all Quickie 2 family wheelchairs shipped after November 15, 1995.)

ACTUAL MEASUREMENTS MAY VARY ACCORDING TO CHAIR CONFIGURATION AND ACCESSORIES. PLEASE CONSULT ORDER FORM FOR COMBINATIONS AND RESTRICTIONS. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

LIFETIME FRAME AND AXLE WARRANTY

We highly recommend distribution through a certified Rehab Professional when fitting and ordering any Quickie Products.

